TOSHIBA GOLD MOTOR-HIGH EFFICIENCY 3 PHASE INDUCTION MOTOR

| | | 200 | | |
|------|------|-----|-----|-----|
| | | | 79 | |
| | 60 | 100 | 3,1 | 100 |
| 1000 | | | 14 | k: |
| œ | | | 1 | а |
| ш. | | | 200 | 60 |
| 100 | - | | 30 | |
| | Bio. | | 28 | |
| | | | | |

| RATED OUTPUT | 132 | kW A | POLES |
|-----------------|------|----------------|-------------------|
| RATED VOLTAGE | 200 | 400 | ٧ |
| RATED FREQUENCY | 60 | 60 | Hz |
| RATED CURRENT | 480 | 240 | A |
| RATED SPEED | . 1 | 760 | min ⁻¹ |
| DECTECTION | 1011 | COOLING METHOD | 101 |

| TYPE TRKH | |
|---------------|--|
| FORM FBK8 | |
| FRAME NO. 230 | |
| THERMAL CLASS | |
| RATING GONT. | |
| | |

| PHUIECIN | m 3 T 4 4 | 0002010 | | - | - |
|-----------|---------------------|-------------|-----|---|-----------------|
| MAX. AMB. | MB. °C, RISE (R.M.) | | K | | |
| STANDARD | JEC-37-1979 | PERFORMANCE | JIS | C | 4212 |
| - | | | | | Mark Control of |

BEARING L.S. NU220 NO. 0.S. 631522



9 50318

SERIAL NO. 80228045

MANUF. IN

TOSHIBA INDUSTRIAL PRODUCTS
MANUFACTURING CORPORATION



MADE IN JAPAN